

12-8 / 12-8S (one nozzle)


Nozzle size (mm)	Pressure (bar)	Discharge* (l/h)	Radius* (m)	Pluviometry (mm/hr)		
				9x9	10x10	12x12
3E Salmon	2.5	540	8.30	6.7	5.4	/
	3.0	590	8.50	7.3	5.9	4.1
	3.5	660	9.00	8.1	6.6	4.6
3.5E White	2.5	750	8.50	9.3	7.5	5.2
	3.0	800	8.90	9.9	8.0	5.6
	3.5	850	9.40	10.5	8.5	5.9
4.0E Blue	2.5	950	8.50	11.7	9.5	6.6
	3.0	1000	9.00	12.3	10.0	6.9
	3.5	1050	9.50	13.0	10.5	7.3
4.5E Black	2.5	1250	9.00	15.4	12.5	8.7
	3.0	1350	9.30	16.7	13.5	9.4
	3.5	1450	9.50	17.9	14.5	10.1
2.0C Pastel green	2.5	270	6.50	3.3	/	/
	3.0	300	6.80	3.7	/	/
	3.5	340	7.00	4.2	3.4	/
2.2 Brown	2.5	300	8.40	3.7	3.0	2.1
	3.0	350	8.60	4.3	3.5	2.4
	3.5	400	8.80	4.9	4.0	2.8
2.5 Dark green	2.5	400	8.80	4.9	4.0	2.8
	3.0	450	9.00	5.6	4.5	3.1
	3.5	500	9.20	6.2	5.0	3.5
3.0 Beige	2.5	600	9.20	7.4	6.0	4.2
	3.0	650	9.50	8.0	6.5	4.5
	3.5	700	10.00	8.6	7.0	4.9
3.5 Grey	2.5	750	9.50	9.3	7.5	5.2
	3.0	800	10.00	9.9	8.0	5.6
	3.5	850	10.20	10.5	8.5	5.9
4.0 Yellow	2.5	950	9.90	11.7	9.5	6.6
	3.0	1000	10.30	12.3	10.0	6.9
	3.5	1050	10.60	13.0	10.5	7.3
4.5 Orange	2.5	1250	10.00	15.4	12.5	8.7
	3.0	1350	10.40	16.7	13.5	9.4
	3.5	1450	10.80	17.9	14.5	10.1

*To be used for informational purpose only.

12-8 (twin nozzles)

Nozzle size (mm)	Pressure (bar)	Discharge* (l/h)	Radius* (m)	Pluviometry (mm/hr)		
				9x9	10x10	12x12
3E x 2.0 Salmon x Blue	2.5	700	8.30	8.6	7.0	/
	3.0	750	8.50	9.3	7.5	5.2
	3.5	800	9.00	9.9	8.0	5.6
3.5E x 2.0 White x Blue	2.5	900	8.50	11.1	9.0	6.3
	3.0	1000	8.90	12.3	10.0	6.9
	3.5	1100	9.40	13.6	11.0	7.6
4.0E x 2.0 Blue x Blue	2.5	1100	8.50	13.6	11.0	7.6
	3.0	1200	9.00	8.3	12.0	8.3
	3.5	1300	9.50	16.0	13.0	9.0
4.5E x 2.0 Black x Blue	2.5	1300	9.00	16.0	13.0	9.0
	3.0	1400	9.30	17.3	14.0	9.7
	3.5	1500	9.50	18.5	15.0	10.4
2.2 x 2.0 Brown x Blue	2.5	500	8.40	6.2	5.0	3.5
	3.0	550	8.60	6.8	5.5	3.8
	3.5	600	8.80	7.4	6.0	4.2
2.5 x 2.0 Dark green x Blue	2.5	600	8.80	7.4	6.0	4.2
	3.0	650	9.00	8.0	6.5	4.5
	3.5	700	9.20	8.6	7.0	4.9
3.0 x 2.0 Beige x Blue	2.5	750	9.20	9.3	7.5	5.2
	3.0	800	9.50	9.9	8.0	5.6
	3.5	850	10.00	10.5	8.5	5.9
3.5 x 2.0 Grey x Blue	2.5	850	9.50	10.5	8.5	5.9
	3.0	900	9.90	11.1	9.0	6.3
	3.5	1000	10.20	12.3	10.0	6.9
4.0 x 2.0 Yellow x Blue	2.5	900	9.90	11.1	9.0	6.3
	3.0	1000	10.30	12.3	10.0	6.9
	3.5	1200	10.60	14.8	12.0	8.3
4.5 x 2.0 Orange x Blue	2.5	1300	10.00	16.0	13.0	9.0
	3.0	1400	10.40	17.3	14.0	9.7
	3.5	1500	10.80	18.5	15.0	10.4

*To be used for informational purpose only.



Sector kit



Jet breaker kit
BJ12

FEATURES

- ✓ Plastic full circle and part circle sprinkler
- ✓ 1/2" BSP male threaded inlet
- ✓ Trajectory angle: 8°
- ✓ Front nozzle from Ø2 to 4.5 mm
- ✓ Plug or rear nozzle of Ø2 and 2.5 mm
- ✓ Working pressure : 2 to 4.0 bars
- ✓ Quick fit nozzles (1/4 turns)

USE

- Under foliage irrigation, vegetables germination, flowers and nursery crops.

SPECIALITIES

- Improved water distribution using key nozzles
- **Nozzle square "C" for a fine drop .**
- Jet breakup for nozzle (optional).
- **No riser vibration.**
- Stainless steel axle for greater resistance to wear on sandy soils and long use.
- Security cap of the arm spring for a regular and efficient irrigation.
- Resistant to corrosion, chemicals and UV radiation.
- Vane stream straightener included in front nozzles.
- Internal elbow to increase radius of water throw.
- **Change your full circle sprinkler to a part circle**

